Fife, Greg: Delgado, Eric; Bernier, Roberto
Fwd: Facility Assistance Request.- Arkema Crosby update 8-29-17 at 1056
Tuesday, August 29, 2017 1:19:07 PM

Sent from my iPhone

Begin forwarded message:

From: "Marquis, James" <james marquis@fema.dhs.gov>
Date: August 29, 2017 at 1:12:07 PM CDT
TO: Mike Metaler <macuter\_mike@ena.gov>
Subject: Fwd: Facility Assistance Request.- Arkema Crosby update 8-29-17 at 1056

Mike,

Material list as below.

vir James W. Marquis | Emergency Services Branch Director | National Incident Management Assistance Team - West | 202.384.5597 | james marquis@fema.dhs.gov Currently deployed to Texas as Deputy ESBD for FEMA-4332-DR-TX Hurricane Harvey

From: "Otten, Edwin" < Edwin Otten(#) hq.dhs.gov>
Date: Tuesday, August 29, 2017 at 12:57:26 PM
To: "Marquis, James" < james, marquise (Fema dhs.gov>
Subject: FW: Facility Assistance Request.- Arkema Crosby update 8-29-17 at 1056

Edwin "Lee" Otten Protective Security Advisor, South Texas (512) 937-0599

Sent from mobile phone

From: Shedd, Steven Sent: Tuesday, August 29, 2017 1:21-40 PM To: Otten, Edwin Ce: IP Region 6 Ops. Subject: FW: Facility Assistance Request. - Arkema Crosby update 8-29-17 at 1056

As discussed. All facility personnel have been evacuated from the site.

Site contact: Plant Manager, Leslie Comardelle, on site is 504-450-7265.

Steve Shedd

Supervisory Chemical Security Inspector DHS/NPPD/OIP/ISCD Cell: 202-738-2764

CFATS HELP DESK: (866) 323-2957 Questions Regarding CFATS: CSAT@DHS.GOV WWW.DHS.GOV/CHEMICALSECURITY

From: Ryder, Roxanne
Sent: Tuesday, August 29, 2017 10:57 AM
To: Perceful, Shawn <a href="https://doi.org/10.1016/j.com/">https://doi.org/10.1016/j.com/</a>; Shedd, Steven <a href="https://doi.org/10.1016/j.com/">Steven <a href="https://doi.org/10.1016/j.com/">https://doi.org/10.1016/j.com/</a>; Shedd, Steven <a href="https://doi.org/">https://doi.org/10.1016/j.com/</a>; Shedd, Steven <a href="https://doi.org/">https://doi.org/</a>; Shedd, Steven <a href="https://doi.org/">https:/

Importance: High

From: Legros, Jesse
Sent: Tuesday, August 29, 2017 10:54 AM
To: Ryder, Roxanne <<u>Roxanne.Ryder@HO.DHS.GOV</u>>
Subject: RE: Facility Assistance Request.

Organic peroxide: 38,000 lbs. per trailer and 8 trailers (refrigerated) and Approximately 1 million lbs. "Ambient" organic peroxide. Chlorine: 3 100ib cylinders SO2: 6000 lbs.

Site contact: Plant Manager, Leslie Comardelle, on site is 504-450-7265.

Mark Heldt , Director of Manufacturing (he's in Pennsylvania) Cell 610-299-0926.

New problem: One of the trailers is starting to float. See attached picture. That building is the one that stores all of the ambient organic peroxide. The facility is currently on the phone with the Harris County OEM discussing the situation.

The facility is also requesting 10,000lbs of dry ice to help with the cooling.

Thanks,

Jesse (Jav) LeGros Ir. Chemical Security Inspector
Field Operations Branch
Infrastructure Security Compliance Division Department of Homeland Security Houston Field Office Cell: 202-302-4428

From: Ryder, Roxanne Sent: Tuesday, August 29, 2017 9:31 AM To: Legros, Jesse Subject: RE: Facility Assistance Request. Importance: High

Also onsite quantity

From: Ryder, Roxanne
Sent: Tuesday, August 29, 2017 9:30 AM
To: Legros, Jesse < Jesse, Legros, @HO. DHS. 6
Subject: RE: Facility Assistance Request.

Any ideas how big the tank is holding the chemical

From: Legros, Jesse Sent: Tuesday, August 29, 2017 9:04 AM To: Ryder, Roxanne < Roxanne Ryder@HO.DHS.GOV> Cc: Perceful, Shawn <shawn a perceful@ng.dhs.go;p; Buckles, Jonathan <lonathan Buckles@HQ.DHS.GO(y>; Shedd, Steven <<u>Steven Shedd@ng.dhs.go;</u>p; Gilbreath, Paul (Nathan) <<u>naul gilbreath@HQ.DHS.GO(y></u> Subject: Facility Assistance Request.

Roxanne,

Well the situation has hit the news this morning, Mr. Lolli advised that the facility has been working with Harris County OEM, Crosby Fire Dept., PSA's, etc.. The fire department did send a boat last night to the site to assess the situation. Nothing was done at that time. One of the ride out crew did decide to return home with the fire department.

The facility is still accessing the situation as 3 of their reefer trucks with organic peroxide are "about to go". The site is trying to determine the overall consequence of the situation. They are trying to determine if the worst case scenario would be just a local event (the site) or if it could affect a larger area.

I'll let you know if I find out anything more.

http://www.chron.com/neighborhood/humble/news/article/Reports-of-chemical-plant-emergency-in-Crosby-12123269.php

Thanks,

Jesse (Jay) LeGros Jr.
Chemical Security Inspector
Field Operations Branch
Infrastructure Security Compliance Division
Department of Homeland Security
Houston Field Office
Cell: 202-302-4428

